



Security Fireproof and General Use Doors
Usi Securizate, Usi Anti-foc, Usi de Usi General



Security Doors

Usi Securizate

Characteristics

- Double armored door leaf made of electro-galvanized sheet.
- Frame with embedded false frame electrostatic painted in RAL 9005 black anti-scratch.
- Perimetric profiles made of galvanized PVC coated metal sheet, anti-scratch in RAL 9005 black.
- Heavy type adjustable hinges.
- SECUREMME lock with retractable heart with 3 keys of four turns and one service key.
- Limiting opening device for controlled opening.
- Latch regulator.
- Panoramic door viewer 180°.
- Automatic Door Bottom Seal.
- Full perimeter rubber gasket for the frame.

Optional

- Triple armor with the addition of a third metal leaf.
- Thermal - Sound insulation through the internal fulfillment of the door leaf with incombustible thermal & sound insulating materials.

Caracteristici

- Foaie de usa cu dubla securizare electrogalvanizata.
- Toc de sustinere H/B RAL 9005 - vopsit negru mat.
- Profil perimetric de fixare vopsit RAL 9005 - vopsit negru mat.
- Balamale reglabile silentioase.
- Broasca secureme cu 3 chei +1 constructor.
- Mecanism de deschidere contralata.
- Opritor inchidere broasca .
- Vizor panoramic 180° .
- Prag retractabil automat.
- Keder pentru amortizare si izolare.


Optiuni suplimentare

- Tripla armura metalica.
- Izolare termica si fonica cu materiale non-combustibile.



All KETE doors accompanied by certificates of accredited laboratories in Greece and abroad.

Usile KETE doors sunt certificate de companii acreditate din Grecia si tarile partenere.



ADDITIONAL ELEMENTS OPTIUNI SUPLIMENTARE	TITAN 16
Perimetric profile for wooden profile inside Profil perimetric din lemn	✓
Electric strike Broasca cu inchidere electrica	✓
Electric lock CISA Inchidere electronica CISA	✓
Electric lock MOTTURA Inchidere electronica MOTTURA	✓
Cylinder key Butuc BUTUC	✓
Double lock Incuietoare dubla	✓
Insulation Izolatie	✓
Galvanized frame Toc galvanizat	✓
Lock CISA / MOTTURA Broasca CISA/ MOTURRA	✓
Triple armor Armura tripla	✓

Accessories Accesorii



CISA

Cylinder lock with gear mechanism with the highest protection and quiet operation.

Broasca CISA, cilindru de maxima protectie cu rotatii silentioase.



MOTTURA

Cylinder lock with secondary latch, which secures the main latch when the door is closed.

Broasca MOTTURA cu butuc si 2 incuietori care blocheaza usa cand este inchisa.



CISA ASSIX

Cylinder with 5 keys and 1 construction key.

Cilindru de siguranta cu 5 chei.



CISA ASTRAL

Security cylinder with anti bumping protection. Including 5 keys and 1 construction key.

Broasca CISA cu cilindru de protectie + 5 chei.



K - 2

Cylinder with 5 keys and 1 construction key.

Cilindru secureme cu 5 key + 1 constructor.



RS - 3 S

This cylinder has obtained the highest possible score in terms of security, master keying potential and reliability.
CISA RS3S cilindru de siguranta cu 5 chei + 1 constructor care ofera un plus de securitate si fiabilitate.



HOPPE

Aluminum door handles in bronze, golden or silver color.
Manere HOPPE: arginii, aurii si bronz.



GUARANTEE

3
years

ARGOS ALARM

Continuous self control alarm for security doors
Alarne automate pentru usi securizate

- ✓ Sensors: vibration, defender violation, drilling of metal sheet
Senzori de vibratie, miscare sau forare
- ✓ Lighting of the area during the door unlocking
Iluminare la deblocarea usii
- ✓ Sound notifications of locking - unlocking the door
Blocare alarma sonora - deblocare
- ✓ Sensor of defender violation
Senzori defeder
- ✓ Siren
Sirena

Panels

Foi Usa



Available Colors

Culori


PVC [flat + inox + pantographic]



CPL [flat + inox]



PVC [flat + inox]



**Colors may vary from actual samples. Use the color guide.

** Culoarele pot varia. Utilizati ghidul de culori.

General Use Doors

Usi Universale

mod. Universal

Single or double leaf metal door for general uses (office, warehouse, wc, etc.).

The door is made entirely of galvanized steel for durability under the most demanding conditions. Also provided rubber around the frame.

The metal doors are painted with electrostatic paint color RAL 7035 (light gray) brushed or other color upon request.

Usi metalice de uz general (birouri, boxe, camere tehnice).

Usa este fabricata din otel galvanizat rezistent la intemperii.

Usile sunt vopsite in camp electrostatic cu RAL 7035 sau orice ce alta culoare la cerere.

Standardized Dimensions

single leaf

width cm: from 70 to 115 per 5 cm
height cm: from 200 to 220 per 5 cm

double leaf

width cm: from 120 to 230 per 5 cm
height cm: from 200 to 220 per 5 cm

Dimensiuni Standard

foaie simpla

latime cm: de la 70 pana la 115 la fiecare 5 cm
inaltime cm: de la 200 pana la 220 la fiecare 5 cm

foaie dubla

latime cm: de la 120 pana la 230 la fiecare 5 cm
inaltime cm: de la 200 pana la 220 la fiecare 5 cm



Fire Proof Doors

Usi Rezistente La Foc

mod. Simmetrico



Fire proof door with resistance 60 or 120 minutes and certified according to the latest European Directive EN-1634-1.

Placed in areas at risk of fire.

The doors are painted with electrostatic paint color RAL 7035 textured (light gray) or other color upon request.

Usi rezistente la foc 60 si 120 REI certificate in conformitate cu cea mai recenta directiva europeana EN-1634-1.

Aceste usi se amplaseaza in cladirile cu risc de incendiu.

Usile sunt vopsite in camp electrostatic c RAL 7035.

Components

Spare parts

- Panic bar for main leaf.
- Panic bar for secondary leaf.
- Wall electromagnet.
- Fireproof lock.
- Panic lock.
- Reintroduction mechanism.
- Thermoexpanding gasket.
- Closing regulator.

Componente

- Bara antipanica pentru foaie principala.
- Bara antipanica pentru foaie secundara.
- Broasca electromagnetica.
- Broasca pentru bara antipanica.
- Mecanism Retractable.
- Keder termoexpandant.
- Mecanism Prioritar.

Standardized Dimensions

single leaf

width cm: 80-90-100-110-120-130
height cm: 205-215

double leaf

width cm: 140-160-180-200
height cm: 205-215

Dimensiuni Standard

foaie simpla

latime cm: 80-90-100-110-120-130
inaltime cm: 205-215

foaie dubla

nlătime cm: 80-90-100-110-120-130
ūşos cm: 205-215



KETE S.A.
Industrial Area Of Polykastro
P.O. Box: 23, P.C. 61200, Polykastro - Kilkis, Greece
Tel.: +30 23430 20280 - 8
Fax: +30 23430 20289

e-mail: kete@kete-sa.gr

www.kete-sa.gr